

CONTENTS

| | PAGE |
|--|------|
| CHAPTER 1. INTRODUCTION | |
| 1.1. Rational, aims & objectives | 1 |
| 1.2. Background..... | 2 |
| 1.3. Constraints..... | 2 |
| CHAPTER 2. PHYSICAL CHARACTERISTICS OF STUDY AREA | |
| 2.1. Location of study area..... | 4 |
| 2.2. Bedrock geology | 4 |
| 2.2.1. Jurassic..... | 8 |
| 2.2.2. Cretaceous..... | 8 |
| 2.2.3. Discussion | 9 |
| 2.3. Relief | 10 |
| 2.4. Drainage..... | 12 |
| 2.5. Hitchin Gap & channels..... | 14 |
| 2.6. Structure | 16 |
| 2.7. Superficial deposits..... | 17 |
| 2.7.1. Clay-with-Flints..... | 17 |
| 2.7.2. Till | 20 |
| 2.7.3. Glaciofluvial deposits..... | 21 |
| 2.7.4. Letchworth Gravels | 23 |
| 2.7.5. Glaciolacustrine deposits | 23 |
| 2.7.6. Hoxnian deposits..... | 23 |
| 2.7.7. Brickearth..... | 23 |
| 2.7.8. River terrace deposits | 24 |
| 2.7.9. More recent deposits | 24 |
| CHAPTER 3. DESK STUDY: REVIEW OF LITERATURE AND PREVIOUS RESEARCH | |
| PART 1: INTRODUCTION & DESCRIPTION OF PLEISTOCENE DEPOSITS | |
| WITHIN STUDY AREA | |
| 3.1. The Pleistocene - an overview | 26 |
| 3.2. Pre-Anglian glaciation | 28 |
| 3.2.1. Chiltern Drift..... | 28 |
| 3.2.2. Pebbly Clay Drift | 29 |
| 3.3. Pre-Anglian relief | 29 |
| 3.4. Pre-Anglian drainage | 30 |
| 3.5. Letchworth Gravels..... | 33 |
| 3.5.1. Discussion..... | 35 |
| 3.6. Glacial deposits..... | 38 |
| 3.6.1. Erratic lithologies..... | 38 |
| 3.6.2. Till | 41 |
| 3.6.3. Glaciolacustrine deposits | 43 |
| 3.7. Glacial deformation | 44 |
| 3.7.1. The Hitchin Gap & Chalk escarpment | 44 |
| 3.7.2. North of the Chalk escarpment..... | 45 |
| 3.7.3. Mechanisms of deformation | 46 |
| 3.8. Buried channels | 48 |
| 3.8.1. Channels within the Hitchin Gap | 50 |
| 3.8.2. The origin and evolution of the buried channels | 53 |
| 3.8.3. The Ashbrook Channel..... | 54 |
| 3.8.4. Channel infill | 54 |
| 3.8.5. Other drift-filled channels | 60 |
| 3.8.6. Tunnel valley formation | 63 |
| 3.9. Post-Anglian interglacial deposits | 67 |
| 3.9.1. Hitchin Formation | 68 |
| 3.9.2. Hatfield Member..... | 69 |

| | PAGE |
|--|-------------|
| 3.9.3. Post-Hoxnian fossiliferous deposits | 70 |
| 3.10 Summary | 70 |
| CHAPTER 3. DESK STUDY: PREVIOUS RESEARCH AND LITERATURE REVIEW | |
| PART 2. SURROUNDING REGIONS | |
| 3.11. Introduction | 72 |
| 3.12. South Hertfordshire - Tills of the Lower Beane Valley and the Vale of St. Albans | 72 |
| 3.12.1. Hill (1914)..... | 73 |
| 3.12.2. Clayton & Brown (1958)..... | 75 |
| 3.12.3. Gibbard (1974, 1977, 1978a, 1978b, 1983)..... | 76 |
| 3.12.4. Cheshire (1983a, 1983b,1986)..... | 77 |
| 3.12.5. Summary..... | 78 |
| 3.13. North of the study area..... | 79 |
| 3.13.1. The Wash & Fen Basin | 79 |
| 3.13.2. Witham on the Hill | 82 |
| 3.14. West of the study area | 82 |
| 3.14.1. Lower Till..... | 82 |
| 3.14.2. Chalky Upper Till..... | 83 |
| 3.15. East of the study area | 84 |
| 3.15.1. Barrington | 84 |
| 3.15.2. Mid-Essex | 86 |
| 3.15.3. Suffolk..... | 87 |
| 3.16. Summary of Sections 3.12 – 3.15 | 88 |
| 3.17. Patterns of Ice Flow. | 88 |
| 3.17.1. Early Research..... | 90 |
| 3.17.2. Re-interpretation by Perrin, Rose & Davies (1979)..... | 94 |
| 3.17.3. Subsequent revisions | 95 |
| CHAPTER 4. METHODOLOGY | |
| 4.1. Introduction | 100 |
| 4.2. Selection of methods | 100 |
| 4.2.1. Particle size distribution – sieving & laser diffraction methods | 100 |
| 4.2.2. Carbonate analysis | 101 |
| 4.2.3. Macrofabric analysis | 101 |
| 4.2.4. Small clast lithological analysis | 102 |
| 4.2.5. Colour of till..... | 102 |
| 4.2.6. Derived microfossils | 103 |
| 4.2.7. Statistical analyses..... | 103 |
| 4.2.8. Discussion of further methods | 104 |
| 4.2.9. Summary | 105 |
| 4.3. Fieldwork | 105 |
| 4.3.1. Sampling | 105 |
| 4.3.2. Macrofabric analysis | 106 |
| 4.4. Laboratory Methods | 110 |
| 4.4.1. Macrofabric analysis | 110 |
| 4.4.2. Preparation for further analyses | 111 |
| 4.4.3. Particle size analysis (> +4.5 phi fraction) | 112 |
| 4.4.4. Carbonate analysis | 113 |
| 4.4.5. Particle size analysis (< +4.0 phi fraction) | 114 |
| 4.4.6. Small clast lithology..... | 117 |
| 4.4.7. Colour of till..... | 117 |
| 4.4.8. Microfossil analysis | 117 |

| | PAGE |
|--|-------------|
| 4.5. Discussion on procedures | 119 |
| 4.5.1. Deflocculation | 119 |
| 4.5.2. Carbonate analysis | 121 |
| 4.6. Statistical analyses | 121 |
| 4.6.1. Macrofabric | 121 |
| 4.6.2. Particle size data | 123 |
| 4.6.3. Multivariate analysis | 123 |
| 4.6.4. Comparison with previous data | 126 |
| CHAPTER 5. SITE DESCRIPTIONS | |
| 5.1. Introduction | 128 |
| 5.2. Sites within & adjacent to the Hitchin Gap (Sites 1 – 11) | 131 |
| 5.3. Sites lying to the west of the River Ivel (Sites 12 – 18) | 202 |
| 5.4. Sites 19 and 20 | 215 |
| 5.5. Sites on and adjacent to the Northeastern Plateau (Sites 21-26) | 219 |
| 5.6. Sites in the west of the study area (Sites 27 – 30) | 233 |
| CHAPTER 6. MACROFABRIC ANALYSIS | |
| 6.1. Introduction | 250 |
| 6.2. Creation of till macrofabric | 250 |
| 6.3. Description of macrofabric properties | 251 |
| 6.4. Methods and objectives | 252 |
| 6.5. Results | 257 |
| 6.5.1. Resultant Vectors | 257 |
| 6.5.2. Eigenanalysis | 257 |
| 6.5.3. Comparison with previous work | 257 |
| 6.6. Discussion and interpretation | 265 |
| 6.6.1. Sites south of Hitchin | 265 |
| 6.6.2. Sites north of Hitchin | 271 |
| 6.6.3. Sites in the western part of the study area | 274 |
| 6.7. Discussion | 276 |
| 6.7.1. Site 11 - Data from writer's previous research | 276 |
| 6.8. Till Genesis | 277 |
| 6.9. Ice flow trajectories | 277 |
| 6.10. Comparison with macrofabrics from previous studies | 280 |
| 6.11. Conclusions | 283 |
| CHAPTER 7. DISCRIMINATION BETWEEN TILL UNITS | |
| PART 1: MULTIVARIATE ANALYSES | |
| 7.1. Introduction | 286 |
| 7.2. Statistical analyses – Database 1 | 288 |
| 7.2.1. Dataset A | 288 |
| 7.2.2. Dataset B | 293 |
| 7.2.3. Dataset C | 304 |
| 7.2.4. Dataset D | 309 |
| 7.2.5. Dataset E | 317 |
| 7.2.6. Dataset F | 323 |
| 7.2.7. Dataset G | 326 |
| 7.3. Comparison dataset – Database 2 | 332 |
| CHAPTER 7. DISCRIMINATION BETWEEN TILL UNITS | |
| PART 2: DISCUSSION AND FURTHER ANALYSIS OF DATA | |
| 7.4. Introduction | 335 |
| 7.4.1. Discrimination between tills based on particle size analysis | 335 |

| | PAGE |
|---|-------------|
| 7.4.2. Discrimination between tills based on acid-soluble content (Dataset C) | 342 |
| 7.4.3. Discrimination between tills based on small clast lithologies (Dataset F) | 348 |
| 7.4.4. Discrimination between tills – Datasets F & G. | 352 |
| 7.4.5. Lower Tills at Sites 2 (Norton Green),3 (Cannocks Wood), 8 (St Ippollitts) and 11 (Primrose Hill Quarry) | 354 |
| 7.4.6. Microfossil analyses | 356 |
| 7.4.7. Summary..... | 356 |
| | |
| CHAPTER 7. DISCRIMINATION BETWEEN TILL UNITS | |
| PART 3: COMPARISON WITH DATA FROM CENTRAL AND EAST HERTFORDSHIRE | |
| 7.5. Multivariate analysis of Database 2. | 361 |
| 7.5.1. Ware Member | 367 |
| 7.5.2. Stortford Member | 370 |
| 7.5.3. Wadesmill Member | 371 |
| 7.5.4. Summary..... | 372 |
| | |
| CHAPTER 8. THE HITCHIN GAP | |
| 8.1. Introduction | 373 |
| 8.2. Subglacial contours..... | 373 |
| 8.3. Deposits and stratigraphy | 379 |
| 8.3.1. Stratigraphic relationships | 379 |
| 8.3.2. Lower till..... | 383 |
| 8.3.3. Outwash deposits..... | 383 |
| 8.3.4. Thistley Farm Member/Charlton Member | 384 |
| 8.3.5. Glaciofluvial deposits..... | 385 |
| 8.3.6. Upper till..... | 386 |
| 8.3.7. Summary..... | 386 |
| | |
| CHAPTER 9. PALAEOGEOGRAPHIC RECONSTRUCTION | |
| 9.1. Introduction | 387 |
| 9.2. Prior to glaciation | 387 |
| 9.3. Glacial History..... | 389 |
| 9.4. Timing of advances..... | 394 |
| 9.5. Discussion | 397 |
| 9.6. Reconstruction of glacial events..... | 397 |
| 9.7. Post-glacial events..... | 406 |
| 9.8. Regional stratigraphic correlations | 406 |
| | |
| CHAPTER 10. SUMMARY AND CONCLUSIONS | 408 |
| 10.1 Recommendations for future work..... | 415 |
| References | 417 |

APPENDICES

| | | |
|-----------------|---|--|
| APPENDIX | Procedure for taking macrofabric measurements | |
| 1 | | |
| APPENDIX | Pilot study of particle size analysis of tills performed on the Malvern laser-diffraction analyzer. | |
| 2 | | |
| APPENDIX | Small clast lithology analysis: identification and separation of categories | |
| 3 | | |
| APPENDIX | Statistical data (on disc). | |
| 4 | | |

FIGURES

| FIGURE No. | | PAGE |
|-----------------------|---|-------------|
| 1.1 | Chief towns and topographic features of the study area..... | 3 |
| 2.1 | Coverage of the area by BGS Geological Survey 1:50,000 map sheets. | 5 |
| 2.2 | Bedrock geology of the study area..... | 6 |
| 2.3 | Relief and drainage of the study area..... | 11 |
| 2.4 | Detail of the Hitchin Gap..... | 15 |
| 2.5 | Simplified drift deposits of the study area..... | 18 |
| 3.1 | Marine isotope curve for the Early & Middle Pleistocene..... | 27 |
| 3.2 | Pre-Anglian river systems and position of the Milton Formation..... | 31 |
| 3.3 | Letchworth Gravel outcrop and gravel pits referred to in text..... | 34 |
| 3.4 | Suggested buried channels in the study area..... | 49 |
| 3.5 | Section across the Northeastern Plateau..... | 62 |
| 3.6 | The Vale of St Albans and localities mentioned in text..... | 74 |
| 3.7 | Patterns of ice advance suggested by Baden-Powell (1948)..... | 91 |
| 3.8 | Patterns of ice advance suggested by West & Donner (1956) | 93 |
| 3.9 | Suggested direction of ice movement a) after Perrin <i>et al.</i> (1979), b) two stage model of Rose, (1992)..... | 96 |
| 3.10 | Patterns of ice advance suggested by Fish & Whiteman (2001)..... | 97 |
| 4.1 | Site locations..... | 107 |
| 4.2 | Results of deflocculation trial..... | 120 |
| 5.1 | Key to lithostratigraphic units shown in the borehole logs..... | 130 |
| 5.2 | Borehole log for Site 1, Knebworth Park..... | 132 |
| 5.3 | Particle size & macrofabric data for Sample 1..... | 134 |
| 5.4 | Particle size & macrofabric data for Sample 2..... | 135 |
| 5.5 | Small clast lithology data for unit 4 at Site 1, Knebworth Park..... | 136 |
| 5.6 | Borehole log for Site 2, Norton Green..... | 137 |
| 5.7 | Particle size & macrofabric data for Sample 3..... | 139 |
| 5.8 | Particle size & macrofabric data for Sample 4..... | 140 |
| 5.9 | Small clast lithology data for unit 1 (lower till) and unit 4 (upper till) at Site 2, Norton Green..... | 141 |
| 5.10 | Borehole log for Site 3, Cannocks Wood..... | 142 |
| 5.11 | Particle size data for Sample 5..... | 145 |
| 5.12 | Particle size data for Samples 6 & 7..... | 146 |
| 5.13 | Particle size & macrofabric data for Sample 8..... | 147 |
| 5.14 | Particle size & macrofabric data for Sample 9..... | 148 |
| 5.15 | Particle size & macrofabric data for Sample 10..... | 149 |
| 5.16 | Particle size & macrofabric data for Sample 11..... | 150 |
| 5.17 | Particle size & macrofabric data for Sample 12..... | 151 |

| FIGURE No. | | PAGE |
|-----------------------|--|-------------|
| 5.18 | Particle size & macrofabric data for Sample 13..... | 152 |
| 5.19 | Particle size & macrofabric data for Sample 14..... | 153 |
| 5.20 | Particle size & macrofabric data for Sample 15..... | 154 |
| 5.21 | Small clast lithology data for Unit 1 (lower till) and Unit 3 (upper till) for Site 3, Cannocks Wood. | 155 |
| 5.22 | Borehole log for Site 4, Letchmore..... | 157 |
| 5.23 | Particle size data for Samples 16 & 17..... | 159 |
| 5.24 | Particle size & macrofabric data for Sample 18 | 160 |
| 5.25 | Small clast lithology data for unit 2 at Site 4, Letchmore. | 160 |
| 5.26 | Borehole log for Site 5, St Ibbs..... | 161 |
| 5.27 | Particle size & macrofabric data for Sample 19..... | 162 |
| 5.28 | Small clast lithology data for unit 2 at Site 5, St. Ibbs. | 163 |
| 5.29 | Borehole log for Site 6, Little Wymondley..... | 164 |
| 5.30 | Particle size & macrofabric data for Sample 20..... | 166 |
| 5.31 | Particle size & macrofabric data for Sample 21..... | 167 |
| 5.32 | Particle size & macrofabric data for Sample 22..... | 168 |
| 5.33 | Small clast lithology data for unit 3 at for Site 6, Little Wymondley | 169 |
| 5.34 | Borehole log for Site 7, Great Wymondley | 170 |
| 5.35 | Particle size & macrofabric data for Sample 23..... | 172 |
| 5.36 | Particle size data for Sample 24..... | 173 |
| 5.37 | Particle size & macrofabric data for Sample 25..... | 174 |
| 5.38 | Small clast lithology data for unit 1 at Site 7, Great Wymondley..... | 175 |
| 5.39 | Borehole log for Site 8, St Ippollitts | 176 |
| 5.40 | Particle size data for Sample 26..... | 179 |
| 5.41 | Particle size & macrofabric data for Sample 27..... | 180 |
| 5.42 | Small clast lithology data for unit 2 (lower) and unit 5 (upper) tills at Site 8, St Ippollitts. | 181 |
| 5.43 | Particle size data for Sample 28..... | 183 |
| 5.44 | Small clast lithology data for Site 9, Maydencroft | 183 |
| 5.45 | Schematic diagram of exposed face at Site 10, Baldock. | 185 |
| 5.46 | Particle size & macrofabric data for Sample 29..... | 186 |
| 5.47 | Particle size & macrofabric data for Sample 30..... | 187 |
| 5.48 | Particle size & macrofabric data for Sample 31 | 188 |
| 5.49 | Particle size & macrofabric data for Sample 32..... | 189 |
| 5.50 | Small clast lithology data for Site 10, Baldock | 190 |
| 5.51 | Borehole log for Site 11, Primrose Hill Quarry | 192 |
| 5.52 | Particle size data for Sample 33..... | 196 |
| 5.53 | Particle size & macrofabric data for Sample 34..... | 197 |
| 5.54 | Particle size & macrofabric data for Sample 35..... | 198 |
| 5.55 | Particle size & macrofabric data for Sample 36..... | 199 |
| 5.56 | Small clast lithology data for Units 5 & 10 at Site 11, Primrose Hill Quarry..... | 200 |
| 5.57 | Locations of Sites 12 to 18 & boreholes mentioned in text. | 207 |
| 5.58 | Particle size data for Sample 37..... | 208 |
| 5.59 | Small clast lithology data for Site 12, Upper Stondon..... | 208 |
| 5.60 | Particle size data for Sample 38..... | 209 |
| 5.61 | Small clast lithology data for Site 14, Broom | 209 |
| 5.62 | Particle size data for Samples 39 & 49..... | 210 |
| 5.63 | Small clast lithology data for Site 15, Southill | 210 |
| 5.64 | Particle size & macrofabric data for Sample 41 | 211 |
| 5.65 | Small clast lithology data for Site 16, Moggerhanger..... | 212 |
| 5.66 | Particle size data for Sample 42..... | 213 |
| 5.67 | Small clast lithology data for Site 17, Sandy..... | 213 |
| 5.68 | Particle size data for Samples 43 & 44..... | 214 |
| 5.69 | Small clast lithology data for Site 18, Warden Street..... | 214 |

| FIGURE No. | | PAGE |
|-----------------------|--|-------------|
| 5.70 | Particle size data for Sample 45..... | 217 |
| 5.71 | Small clast lithology data for Site 19, Edworth..... | 217 |
| 5.72 | Particle size data for Samples 46 & 47..... | 218 |
| 5.73 | Small clast lithology data for Site 20, Millowbury Farm..... | 218 |
| 5.74 | Locations of Sites 21 – 26 & boreholes mentioned in text | 223 |
| 5.75 | Particle size data for Sample 48..... | 224 |
| 5.76 | Small clast lithology data for Site 21, Potton. | 224 |
| 5.77 | Particle size and macrofabric data for Sample 49 | 225 |
| 5.78 | Small clast lithology data for Site 22, Cockayne Hatley | 226 |
| 5.79 | Particle size data for Sample 50 | 227 |
| 5.80 | Small clast lithology data for Site 23, Hatley..... | 227 |
| 5.81 | Particle size data for Sample 51..... | 228 |
| 5.82 | Small clast lithology data for Site 24, Longstowe..... | 228 |
| 5.83 | Particle size data for Samples 52 & 53..... | 229 |
| 5.84 | Particle size data for Sample 54 & 55 | 230 |
| 5.85 | Particle size data for Sample 56..... | 231 |
| 5.86 | Small clast lithology data for Site 25, Caxton | 231 |
| 5.87 | Particle size data for Sample 57..... | 232 |
| 5.88 | Small clast lithology data for Site 26, Wrestlingworth. | 232 |
| 5.89 | Particle size data for Samples 58 & 59 and macrofabric data for Sample 58..... | 236 |
| 5.90 | Small clast lithology data for Site 27, Milton Bryan..... | 237 |
| 5.91 | Particle size data for Samples 60 & 61..... | 238 |
| 5.92 | Small clast lithology data for Site 28, Potsgrove..... | 238 |
| 5.93 | Particle size data for Sample 62..... | 239 |
| 5.94 | Small clast lithology data for Site 29, Munday's Hill..... | 239 |
| 5.95 | Schematic diagram of exposed face at Site 30, Heath & Reach..... | 240 |
| 5.96 | Particle size and macrofabric data for Sample 63 | 243 |
| 5.97 | Particle size and macrofabric data for Sample 64 | 244 |
| 5.98 | Particle size and macrofabric data for Sample 65 | 245 |
| 5.99 | Particle size and macrofabric data for Sample 66 | 246 |
| 5.100 | Particle size and macrofabric data for Sample 67 | 247 |
| 5.101 | Particle size and macrofabric data for Sample 68 | 248 |
| 5.102 | Small clast lithology data for Site 30, Heath & Reach..... | 249 |
| 6.1 | Plot of S3/S1 eigenvalues..... | 258 |
| 6.2 | Macrofabric data plotted on ternary (Benn) diagram. | 259 |
| 6.3 | Data from the present study overlain by process fields obtained from modern glaciers (after Dowdeswell & Sharp, 1986)..... | 261 |
| 6.4 | Data from Hertfordshire tills | 262 |
| 6.5 | Data from Primrose Hill Quarry (Brownsell, 1996; Etienne, 2001), Barrington (Fish, 2000) & Suffolk (Allen <i>et al.</i> , 1991)..... | 263 |
| 6.6 | Statistically significant macrofabrics at sites within the Hitchin Gap..... | 266 |
| 6.7 | Statistically significant macrofabrics at sites north and west of Hitchin ... | 272 |
| 6.8 | Generalised flow directions from current study overlain on patterns of ice flow suggested by West & Donner (1956)..... | 281 |
| 6.9. | Generalised flow directions from current study overlain on patterns of ice flow suggested by Rose (1992) | 281 |
| 6.10 | Generalised flow directions from current study overlain on patterns of ice flow suggested by Cheshire (1986) and Whiteman (1991)..... | 282 |
| 6.11 | Generalised flow directions from current study overlain on patterns of ice flow suggested by Fish & Whiteman (2001)..... | 282 |
| 7.1 | Dataset A Similarity coefficients > 98.0% plotted on the PCO axes 1 & 2. | 291 |

| FIGURE No. | | PAGE |
|-----------------------|--|-------------|
| 7.2 | Dataset B a – c Eigenvectors (loadings) on the first three principal components d Comparison of loadings on first three axes. | 297 |
| 7.3 | Dataset B Similarity coefficients >93.0% plotted on PCA axes 1 & 2. | 298 |
| 7.4 | Dataset B PCA scatterplot of axes 1 & 2 with envelopes enclosing multiple samples from the same till unit. | 302 |
| 7.5 | Dataset B Results of cluster analysis overlain on PCA scatterplot. | 303 |
| 7.6 | Dataset C a – c Eigenvectors (loadings) on the first three principal components d Comparison of loadings on first three axes. | 305 |
| 7.7 | Dataset C Similarity coefficients >91.0% plotted on PCA scattergraph axes 1 & 2... .. | 306 |
| 7.8 | Dataset C Similarity coefficients >91.0% plotted on PCA scattergraph 2 & 3. | 307 |
| 7.9 | Dataset D a – c Eigenvectors (loadings) on the first three principal components d Comparison of loadings on first three axes. | 311 |
| 7.10 | Dataset D Similarity coefficients >96.5% plotted on PCA scattergraph | 312 |
| 7.11 | Dataset D Results of cluster analysis overlain on PCA scatterplot | 316 |
| 7.12 | Dataset E a – c Eigenvectors (loadings) on the first three principal components d Comparison of loadings on first three axes. | 319 |
| 7.13 | Dataset E Similarity coefficients >98.0% plotted on PCA scattergraph | 320 |
| 7.14 | Dataset E Results of cluster analysis overlain on PCA scatterplot | 321 |
| 7.15 | Sites linked by Euclidean distance of < 0.8 on PCO axes 1 & 2 | 324 |
| 7.16 | Dataset G Sites linked by Euclidean distances of <8.7 on PCO axes 1 & 2 | 329 |
| 7.17 | Dataset G Results of cluster analysis overlain on PCO axes 1 & 2 | 330 |
| 7.18 | Percentage (by weight) of fine fraction (< +4.5 phi) of samples from Sites 1 – 9. | 338 |
| 7.19 | Percentage (by weight) of fine fraction (< +4.5 phi) of samples from Sites 10- 30. | 339 |
| 7.20 | Scatterplots of PCA of dataset C on a) axes 1 & 2 and b) axes 2 & 3 showing location of sites relevant to chalk scarp. | 343 |
| 7.21 | Percentage of acid-soluble lithologies present in the sand fraction (-1.0 to +4.0 phi) | 344 |
| 7.22 | Flint/quartz ratios from Sites 10 – 30. | 349 |
| 7.23 | Flint/quartz ratios for all samples. | 351 |
| 7.24 | Provenance of tills suggested by results of microfossil analyses | 359 |
| 7.25 | Extent of Ware Member ice and sites showing high similarities with Ware Member tills. | 362 |
| 7.26 | Extent of Stortford member ice and sites showing high similarities with Stortford Member tills. | 363 |
| 7.27 | Maximum extent of Wadesmill Member ice. | 364 |
| 8.1 | Profile along the centre of the Hitchin Channel. | 374 |
| 8.2 | Details of the Hitchin Channel south of Hitchin. | 376 |
| 8.3 | Interpretation of Hitchin Channel along Line 2 of Figure 8.2b. | 377 |

| FIGURE NO. | | PAGE |
|-----------------------|--|-------------|
| 8.4 | Section along the Hitchin Channel. | 381 |
| 9.1 | Relationship of the ice flow trajectories suggested by Fish & Whiteman (2001) to the sub-Pleistocene geology | 391 |
| 9.2 | Results of field mapping and research reported by Rose (2007). | 395 |
| 9.3 | Likely extent of possible ice advance from the northwest. | 399 |
| 9.4 | a) Maximum extent of first advance from the northeast into Hitchin Gap. b) Retreat of ice | 400 |
| 9.5 | Maximum extent of the second advance from the northeast. | 401 |

PLATES

| | | |
|-----|--|-----|
| 4.1 | Acid-soluble content of samples from Sites 25 (Caxton) and 30 (Heath & Reach)..... | 115 |
| 5.1 | Core samples from Site 3, Cannock Wood..... | 156 |
| 5.2 | Primrose Hill Quarry, Holwell (1996) | 201 |
| 5.3 | Examples of till from Site 30 (Heath and Reach)..... | 241 |
| 5.4 | Examples of erratic lithologies and fossils found at Site 30 (Heath and Reach) | 242 |

TABLES

| TABLE NO. | | PAGE |
|----------------------|---|-------------|
| 2.1 | Solid geological sequence of the study area | 7 |
| 2.2 | Ages of drift deposits within the study area. | 19 |
| 3.1 | Gravels of the Letchworth area | 36 |
| 3.2 | Examples of descriptions of gravels within the study area..... | 40 |
| 3.3 | Stratigraphic relationships within the Hitchin Channel | 56 |
| 3.4 | Revised nomenclature of deposits in the Vale of St Albans & Hertfordshire referred to in the text. (Bowen, 1999)..... | 73 |
| 3.5 | Summary of regional stratigraphy | 89 |
| 4.1 | Sample Details..... | 108 |
| 4.2 | Sub-sample details | 112 |
| 4.3 | Categories of lithology used in small clast lithological analyses | 118 |
| 4.4 | Summary of datasets used in multivariate analyses..... | 125 |
| 4.5 | Details of locations of comparison data used in analyses of the comparison dataset..... | 127 |
| 5.1 | Details of BGS boreholes referred to in text | 202 |
| 5.2 | Summary details for Sites 12 – 18. | 205 |
| 5.3 | Details of BGS boreholes referred to in text. | 216 |
| 5.4 | Summary details of Sites 19 and 20..... | 216 |
| 5.5 | Details of BGS boreholes referred to in text. | 221 |
| 5.6 | Summary details of Sites 21 to 26..... | 221 |
| 5.7 | Summary details for Sites 27 – 30 | 235 |
| 6.1 | Samples subjected to macrofabric analysis..... | 254 |
| 6.2 | Results of macrofabric analysis..... | 255 |
| 6.3 | Data obtained from Primrose Hill Quarry (Site 11) from previous work by Brownsell (1996). | 277 |
| 7.0 | Samples used in statistical analyses | 287 |
| 7.1 | Dataset A: PCO component loadings | 290 |
| 7.2 | Dataset A: Between-site links with > 98% similarity coefficient..... | 290 |
| 7.3 | Dataset A: Group membership suggested by cluster analysis..... | 292 |
| 7.4 | Dataset B: Between-site links for groups 1 – 4..... | 299 |
| 7.5 | Dataset B: Group membership suggested by PCA..... | 300 |
| 7.6 | Dataset B: Group membership suggested by cluster analysis..... | 301 |

| TABLE No. | | PAGE |
|----------------------|---|-------------|
| 7.7 | Dataset C: Group membership suggested by cluster analysis..... | 308 |
| 7.8 | Dataset D: Between-site links for Groups 1 & 2..... | 313 |
| 7.9 | Dataset D: Group membership suggested by PCA. | 314 |
| 7.10 | Dataset D: Group membership suggested by cluster analysis..... | 315 |
| 7.11 | Dataset E: Group membership suggested by cluster analysis..... | 322 |
| 7.12 | Dataset F: PCO component loadings..... | 325 |
| 7.13 | Dataset F: Group membership suggested by cluster analysis..... | 325 |
| 7.14 | Dataset G: PCO component loadings..... | 328 |
| 7.15 | Dataset G: Between-site links with Euclidean distances < 8.7..... | 328 |
| 7.16 | Dataset G: Group membership suggested by PCA. | 331 |
| 7.17 | Dataset G: Group membership suggested by cluster analysis..... | 331 |
| 7.18 | Comparison dataset: Summary of similarity coefficients > 99.6%..... | 333 |
| 7.19 | Summary of results from cluster analyses (CA), principal component analyses (PCA) and principal co-ordinate analyses (PCO) for Datasets A to G..... | 336 |
| 7.20 | Average & ranges of fine material (< +4.5 phi) in different geographical areas..... | 340 |
| 7.21 | Average & ranges of acid-soluble content of tills in different geographical areas..... | 345 |
| 7.22 | Average & ranges of flint/quartz ratios in tills in different geographical areas..... | 350 |
| 7.23 | Species of ostracod identified in this study..... | 357 |
| 7.24 | Species of foraminifera identified in this study..... | 358 |
| 7.25 | Similarity coefficients above 99.6% in the Comparison dataset..... | 366 |
| 7.26 | Comparison data links (Ware Member) from Table 7.25..... | 367 |
| 7.27 | Primrose Hill Quarry (Site 11) - Similarity coefficients between middle (this study) and upper (comparison) tills..... | 369 |
| 7.28 | Comparison data links (Stortford Member) from Table 7.25..... | 370 |
| 7.29 | Similarity coefficients between samples from this study and comparison samples from Cottered..... | 371 |
| 8.1 | BGS borehole data referred to in this chapter..... | 375 |
| 9.1 | Summary of deposits within the Hitchin Gap and a suggested relationship with those of the Vale of St Albans..... | 388 |

Note: Additional copies of Table 7.19 and Figure 8.4 for reference purposes are provided inside the back cover of this report.